

2008 Hybrid Corn Test Results: Urbana (32,000 ppa)

Company-Brand	Hybrid	IST ¹ GT ² HT ³	Urbana Grain Quality						
			Relative Maturity	Urbana		Extractable			
				Yield bu/a	Moisture %	Oil @0%	Protein @0%	Starch @0%	Starch @0%
DEKALB	DKC63-42 (VT3)	PL YL RR	113	256	21.4	4.8	9.0	71.6	68.0
VIGORO	V5183VT3	PL YL RR	112	254	18.3	4.6	9.0	72.0	66.4
DEKALB	DKC64-24 (VT3)	PL YL RR	114	249	19.9	4.7	8.3	72.5	68.1
PIONEER	33F88	PL HE RL	114	247	21.8	4.7	8.5	72.3	68.6
DEKALB	DKC61-69 (VT3)	PL YL RR	111	245	18.3	4.5	9.0	72.0	67.5
LEWIS	813VT3	PL YL RR	113	243	19.4	4.4	8.6	72.6	68.0
PIONEER	34P94	PL HE LL	111	243	19.2	4.4	8.6	72.9	68.1
LG SEEDS	LG2555VT3	PL YL RR	110	243	21.3	4.6	8.2	72.5	69.9
BURRUS	4J63	PL YL RR	108	243	20.2	4.7	8.3	72.3	68.8
KRUGER	K-6413VT3	CL YL RR	113	242	21.4	4.9	8.9	71.5	67.3
MUNSON	26125VT3	PL YL RR	112	240	20.6	4.6	8.0	72.4	69.7
TRISLER	T-6A02VT3	PL YL RR	109	240	20.8	4.8	9.0	71.7	66.8
iCORN.com	112.VT3	PL YL RR	112	240	21.0	4.5	8.9	72.2	68.2
BECK	5444VT3	PL YL RR	110	240	18.3	4.8	9.3	71.6	66.2
STONE	8T339	PL YL RR	113	238	20.3	4.6	8.8	72.1	67.5
TRISLER	T-7N53VT3	PL YL RR	112	238	21.2	4.7	8.7	72.1	67.7
iCORN.com	109.5VT3	PL YL RR	109	238	19.1	4.4	8.5	72.8	67.9
KRUGER	K-6411VT3	CL YL RR	111	238	19.2	4.6	9.2	71.8	67.4
ARISE	519 VT3	CL PL RR	111	238	19.7	4.5	9.3	72.3	66.9
MUNSON	23165VT3	PL YL RR	109	237	19.7	4.8	9.3	71.9	65.7
NUTECH	3T-710 VT3	PL YL RR	110	237	19.3	4.6	8.9	72.4	66.9
LEWIS	914VT3	PL YL RR	114	237	21.6	4.5	8.4	72.3	69.1
NUTECH	3T-110 VT3	PL YL RR	110	236	20.9	4.4	8.0	73.0	69.3
HOBLIT	573 T	PL YL RR	111	236	19.4	4.5	9.3	72.3	66.8
DEKALB	DKC65-44 (VT3)	PL YL RR	115	236	21.8	4.9	8.8	71.6	67.8
MSG	76804Y	CL YL RR	109	236	18.7	5.1	8.7	71.9	66.4
NUTECH	3T-109 VT3	PL YL RR	109	236	20.9	4.8	8.1	72.4	69.2
MUNSON	25775VT3	PL YL RR	111	235	19.1	4.7	8.1	72.7	68.1
FS SEED	FS 61AV3	PL YL RR	111	235	18.4	4.6	8.0	72.8	68.7
DEKALB	RX674VT3	PL YL RR	109	235	19.2	4.5	8.5	72.6	68.0
NUTECH	3T-808A VT3	CL YL RR	108	235	17.2	4.2	9.0	73.0	67.5
HORIZON	72A06Q	PL AG GL	112	235	21.9	4.8	8.5	71.9	68.2
FS SEED	FS 62JV3	PL YL RR	112	234	21.8	4.6	8.9	72.0	68.0
ROESCHLEY	Rx 457 VT3	PL YL RR	111	234	17.5	4.7	9.3	71.9	66.2
HUBNER	H 5636 VT3	YL PL RR	111	234	19.6	5.0	9.0	71.9	66.2
MASTER CHOICE	SP-573	PL YL RR	112	234	19.5	4.8	8.2	72.1	67.8
BECK	Ex 0842VT3	PL YL RR	110	234	18.5	4.3	8.4	72.8	68.7
HOBLIT	5557 VT3	PL YL RR	111	234	20.6	4.6	9.0	72.1	67.4
ARISE	629	CL	112	233	24.2	5.0	8.3	71.7	68.7
G2 GENETICS	1H-716 HX/LL	PL HX LL	116	233	24.6	4.9	8.4	71.6	69.7
ROESCHLEY	Rx 888 VT3	PL YL RR	115	233	24.3	5.1	8.3	72.4	68.1
HOBLIT	5827 VT3	PL YL RR	114	233	25.4	5.3	8.8	70.5	68.2
FS SEED	FS 60AV3	PL YL RR	110	233	17.4	4.4	9.3	72.4	65.4
NUTECH	3T-012 VT3	PL YL RR	112	233	19.5	4.5	9.3	72.1	66.7
SELECT	308	PL YL RR	108	233	18.3	4.6	9.2	72.5	66.0
MWS	6829VT3	PL YL RR	108	233	19.0	4.1	7.7	73.7	70.3
STONE	7T927	PL YL RR	110	233	19.8	4.9	8.7	72.2	66.9
NUTECH	3T-808 VT3	CL YL RR	108	232	16.9	4.2	8.7	73.3	68.0
WABASH VALLEY	TL 3345VT3	PL YL RR	111	232	16.1	4.2	9.5	72.8	65.8
FS SEED	FS 58SV3	PL YL RR	108	232	17.1	4.2	9.1	73.1	67.2
BURRUS	573T	PL YL RR	111	231	17.9	4.5	9.1	72.2	67.0
KRUGER	K-6210TS	CL YL RR	110	231	18.2	4.6	8.9	72.4	66.9
CROW'S	5304VT3	CL YL RR	114	231	21.9	4.7	9.0	71.8	67.8
TRISLER	T-7N51VT3	PL YL RR	112	231	18.6	4.4	8.8	72.8	68.0
MSG	78135VT3	CL YL RR	112	231	17.0	4.6	9.2	72.2	66.0
KRUGER	K-6212TS	CL YL RR	112	231	22.6	4.9	8.7	72.0	68.0
HORIZON	70PV22R	PL YL RR	110	231	20.5	4.4	7.9	73.1	70.5
KRUGER	K-6015VT3	CL YL RR	115	230	21.0	4.6	8.9	72.0	67.8
MERSCHMAN	M-911I-10	PL YL RR	111	230	19.8	4.3	8.0	73.2	69.6
HUBNER	H 5582 VT3	YL PL RR	112	229	22.1	4.6	9.0	72.0	68.1
DEKALB	DKC61-19 (VT3)	PL YL RR	111	229	16.9	4.4	9.3	72.7	66.4
G2 GENETICS	1X-911 HXT/LL	PL HE LL	111	229	18.5	4.1	8.9	73.1	68.5
HOBLIT	4777 VT3	PL YL RR	109	229	17.1	4.3	9.0	72.8	66.6
MERSCHMAN	M-808E-10	PL YL RR	108	229	17.9	4.7	9.3	71.9	66.2
ARISE	507 VT3	CL YL RR	109	229	18.9	4.6	7.9	72.9	69.0
KRUGER	K-6213VT3	CL YL RR	113	229	21.5	4.7	8.5	71.6	68.9
MERSCHMAN	M-711E-10	PL YL RR	111	229	18.9	4.6	7.9	73.0	69.0
PRIME	6927VT3	PL YL RR	112	229	17.9	4.6	9.3	72.2	66.1
SELECT	510	PL YW RR	110	228	20.7	4.6	8.8	72.1	68.5
KRUGER	K-6011TS	CL YL RR	111	228	18.3	4.1	8.7	73.2	68.6

2008 Hybrid Corn Test Results: Urbana (32,000 ppa)

Company-Brand	Hybrid	IST ¹ GT ² HT ³	Urbana Grain Quality						
			Relative Maturity	Urbana		Extractable			
				Yield bu/a	Moisture %	Oil @0%	Protein @0%	Starch @0%	Starch @0%
MUNSON	27902RR	PL YW RR	113	227	21.2	4.8	9.1	71.7	67.4
VIGORO	V5383VT3	PL YL RR	113	227	18.8	4.7	8.8	72.0	67.0
PRIME	7777VT3	PL YL RR	114	227	20.3	4.7	8.5	72.2	68.0
LG SEEDS	LG2620VT3	PL YL RR	113	227	24.9	5.0	8.5	71.2	69.3
BECK	5555VT3	PL YL RR	110	226	19.5	4.7	8.9	72.2	67.0
CROW'S	4799VT3	CL YL RR	109	226	18.7	5.0	8.5	72.0	67.6
VIGORO	V5073VT3	PL YL RR	110	226	20.7	4.5	9.2	72.2	67.3
LEWIS	810VT3	PL YL RR	110	226	18.3	4.6	8.4	72.3	67.9
NUTECH	3T-311 VT3	PL YL RR	111	226	21.6	4.7	8.4	72.2	68.9
MUNSON	22035VT3	PL YL RR	108	225	18.0	4.7	9.7	71.8	65.2
MUNSON	24795VT3	PL YL RR	110	225	17.7	4.5	8.6	72.3	66.9
SELECT	5393 VT	PL YL RR	113	225	24.3	4.6	8.7	72.2	69.2
HORIZON	69PV02R	PL YL RR	109	225	18.9	4.5	8.2	72.9	68.7
HORIZON	70PV02R	PL YL RR	110	225	17.5	4.7	9.0	72.1	65.9
KRUGER	K-6008VT3	CL YL RR	108	225	18.7	4.5	8.0	73.2	68.8
ARISE	509 VT3	CL PL RR	110	225	17.8	4.5	9.2	72.4	66.2
HORIZON	74-22R	PL RR	114	225	20.6	4.6	8.7	72.8	67.9
ROESCHLEY	Rx 384 VT3	PL YL RR	109	225	18.7	4.7	8.2	72.4	68.8
NUTECH	3P-708 RR/YGPL	PL YL RR	108	225	20.5	4.5	8.7	72.4	67.3
MUNSON	23345VT3	PL YL RR	109	224	18.0	4.5	8.7	73.0	66.7
MUNSON	29205VT3	PL YL RR	115	224	23.5	4.9	8.2	72.0	69.7
HORIZON	72PV33R	PL YL RR	112	224	18.4	4.5	9.1	72.5	66.6
PRIME	5747VT3	PL YL RR	109	224	17.6	4.9	8.8	72.2	66.4
WHISNAND	205 VT3	PL YL RR	113	224	27.0	5.1	8.3	71.0	69.8
PIONEER	33W84	PL HE RL	111	224	18.9	4.3	8.4	73.0	68.3
SELECT	358	PL YL RR	109	224	18.2	4.5	8.1	72.7	68.4
STONE	7T765	PL YL RR	110	224	20.2	4.6	8.1	72.5	68.8
KRUGER	K-6412VT3	CL YL RR	112	224	18.1	4.7	8.7	72.3	67.8
TRISLER	T-6N52PL	PL YL	110	224	17.9	4.2	8.6	73.1	68.2
iCORN.com	110.RWBR7	PL YW RR	110	224	18.8	4.6	9.0	72.3	67.3
iCORN.com	111.6VT3	PL YL RR	111	223	20.9	4.7	8.3	72.3	68.6
CROW'S	4726Y	CL YL RR	109	223	15.5	4.0	9.0	73.1	67.8
iCORN.com	107.VT4	PL YL RR	107	223	15.0	3.8	8.2	73.7	69.1
MWS	8017VT3	PL YL RR	110	223	17.7	4.5	9.5	72.0	66.0
PIONEER	35K04	PL HE RL	106	223	17.2	4.3	8.5	73.4	67.6
KRUGER	K-6208VT3	CL YL RR	108	222	17.6	4.1	8.8	72.7	67.9
PRIME	7737VT/RR	PL YW RR	113	222	20.1	4.7	8.6	72.3	67.9
HUBNER	H 5430 VT3	YL PL RR	109	222	17.5	4.6	8.8	72.5	67.1
FS SEED	FS 63JV3	PL YL RR	113	222	20.0	4.6	8.3	72.8	68.0
NUTECH	3T-514 VT3	PL YL RR	114	222	21.5	4.5	8.6	72.4	69.1
MUNSON	26886LLRR	PL HE RL	112	221	18.5	4.4	8.6	73.3	67.3
ARISE	730 VT3	CL YL RR	115	221	26.7	5.0	8.9	70.8	69.3
WABASH VALLEY	TL 3258VT3	PL YL RR	108	220	18.0	4.7	8.5	72.8	67.1
TRISLER	T-5N51VT3	PL YL RR	108	220	18.5	4.3	8.8	72.5	67.6
MERSCHMAN	M-612D-10	PL YL RR	112	220	19.0	4.7	8.8	72.4	66.8
KRUGER	K-6517TS	CL YL RR	117	220	22.3	4.8	8.2	72.0	69.3
PIONEER	32T85	PL HE RL	115	220	23.1	4.5	8.6	72.7	69.4
NUTECH	3T-315 VT3	PL YL RR	115	219	26.4	5.2	8.9	70.8	68.8
NUTECH	3T-912A VT3	PL YL RR	112	219	19.5	4.7	8.4	72.5	68.0
PRAIRIE	5316		108	219	20.0	5.1	8.6	72.7	68.1
BECK	5779VT3	PL YL RR	111	219	20.1	4.3	8.9	72.5	67.6
HUBNER	Ex 828 BR	PH YB RR	115	219	20.8	4.5	8.9	72.2	67.8
KRUGER	K-6111TS	CL YL RR	111	219	18.3	4.1	8.5	73.3	68.5
WHISNAND	206 VT3	PL YL RR	112	218	19.5	4.8	8.3	72.1	68.2
NUTECH	3T-310 VT3	CL YL RR	110	218	17.5	4.5	8.8	72.6	67.0
VIGORO	V5193VT3	PL YL RR	111	218	19.9	4.6	8.2	72.4	68.7
PREMIUM	P252 Bt	YB	113	218	21.1	4.8	9.1	72.1	66.0
HORIZON	73-15R	PL RR	113	218	23.0	4.8	8.4	72.2	68.9
SELECT	7822	PL YL RR	109	218	19.0	4.7	9.2	72.0	65.8
KRUGER	K-5116YGCB	CL YB	116	217	20.7	4.2	9.0	72.8	68.0
ARISE	639 VT3	CL PL RR	112	217	20.0	4.4	8.8	72.6	67.6
HORIZON	73X01L	PL HE LL	113	217	20.5	4.2	8.7	73.1	68.6
MSG	76996VT3	CL YL RR	109	217	17.8	4.3	9.0	72.9	67.4
SELECT	380	PL YL RR	108	216	17.9	4.6	8.7	72.6	66.5
MERSCHMAN	M-314A-10	PL YL RR	114	216	24.0	4.9	8.1	71.6	69.8
TRISLER	T-8N52PLRR	PL YL RR	113	216	17.2	4.2	8.3	73.5	67.8
DEKALB	DKC54-49 (VT3)	PL YL RR	104	216	16.1	4.5	8.8	72.7	66.5
MERSCHMAN	M-913C-10	PL YL RR	113	215	20.1	4.5	8.6	72.4	68.9
G2 GENETICS	1X-911A HXT/LL	PL HE LL	111	215	18.2	4.0	8.6	73.4	69.0
TRISLER	T-8A02VT3	PL YL RR	113	215	21.0	4.3	8.4	73.2	69.1

2008 Hybrid Corn Test Results: Urbana (32,000 ppa)

Company-Brand	Hybrid	IST ¹ GT ² HT ³	Relative Maturity	Urbana Grain Quality						
				Urbana		Extractable				
				Yield bu/a	Moisture %	Oil @0%	Protein @0%	Starch @0%	Starch @0%	
WABASH VALLEY	TL 3346YGPL/RR2	PL YL RR	111	215	19.9	4.3	9.2	72.6	66.5	
NUTECH	3T-310A VT3	CL YL RR	110	214	17.0	4.2	9.2	72.9	66.6	
WYCKOFF	2445 HXT/LL	CL HE LL	107	214	17.6	4.5	8.9	72.4	66.7	
BO-JAC	9472	PL HE LL	112	214	21.3	5.0	9.3	71.6	66.9	
WYCKOFF	2599 3000GT	PL AG	109	214	20.7	4.7	8.9	71.9	67.2	
MUNSON	28245VT3	PL YL RR	114	213	22.3	4.6	8.6	72.3	69.1	
BECK	5608VT3	PL YL RR	111	213	18.9	4.4	8.9	72.7	67.3	
STONE	7T231	PL YL RR	111	213	17.8	4.3	8.9	72.4	67.7	
ROESCHLEY	Rx 573 VT3	PL YL RR	111	212	18.7	4.4	8.8	72.6	67.2	
WILKEN	W 1105			212	20.3	4.3	8.3	73.0	69.2	
MERSCHMAN	M-810H-10	PL YL RR	110	211	16.7	4.1	8.9	73.4	66.9	
BECK	5335HXR	PL HE RL	109	211	18.2	4.1	8.7	73.2	68.2	
NUTECH	3T-912 VT3	PL YL RR	112	211	20.7	4.5	8.6	72.8	68.2	
STONE	8K597	PL YL RR	114	211	18.0	4.4	8.4	72.9	68.1	
MWS	8059VT3	PL YL RR	110	211	17.6	4.4	8.1	73.2	68.5	
BO-JAC	9379	PL HE LL	108	211	18.4	4.9	8.5	72.2	66.2	
KRUGER	K-2115RR/YGCB	CL YB RR	115	210	23.2	5.2	8.5	71.5	67.5	
HUBNER	H 5466 VT3	YL PL RR	109	210	17.0	4.4	8.7	73.0	67.5	
MSG	80404VT3	CL YL RR	114	210	20.8	4.6	9.0	72.0	68.1	
BURRUS	477T	PL YL RR	109	210	15.9	4.0	8.8	73.6	66.9	
WILKEN	W 884			209	19.9	4.6	8.0	72.9	69.3	
ARISE	616 VT3	CL PL RR	112	209	23.8	5.0	8.2	71.4	69.7	
KRUGER	K-6114VT3	CL YL RR	114	208	21.7	4.8	8.8	72.3	67.8	
PREMIUM	P254		113	207	20.7	4.4	9.3	72.1	66.8	
BURRUS	6C56	PL YL RR	112	206	21.4	4.6	8.7	72.2	69.1	
CROW'S	4985VT3	CL YL RR	112	206	18.5	4.6	8.4	72.9	68.3	
PIONEER	31P44	PL HE RL	119	206	23.5	4.5	8.5	72.7	69.5	
MWS	6922VT3	PL YL RR	109	206	17.4	4.6	8.5	72.8	67.5	
NUTECH	3P-708A RR/YGPL	PL YL RR	108	206	19.0	4.1	9.0	72.8	67.4	
KRUGER	K-7010YG+	CL YL RR	110	203	16.1	4.3	8.3	72.9	68.7	
HORIZON	73PV36R	PL YL RR	113	203	21.3	4.7	9.3	71.9	66.9	
MUNSON	20450RR	PL RR	105	201	16.8	3.7	9.0	73.4	68.2	
PRAIRIE	6158		111	200	20.6	4.5	9.3	71.5	65.2	
HORIZON	67PV02R	PL YL RR	107	199	16.8	4.0	8.8	73.3	68.2	
iCORN.com	111.VT9	PL YL RR	111	198	18.4	4.5	8.7	72.6	67.4	
PIONEER	33H29	PL HE RL	115	198	22.2	4.4	8.9	72.5	69.9	
LEWIS	809VT3	PL YL RR	109	198	18.2	4.4	8.1	73.3	67.8	
ARISE	729	CL	113	198	21.4	4.2	8.4	73.1	69.5	
PRAIRIE	7784		112	196	21.6	4.6	8.3	72.5	69.2	
ARISE	619 RRHXT	CL HE RL	112	195	23.2	4.8	8.5	72.4	68.4	
NUTECH	3T-115 VT3	PL YL RR	115	193	22.6	4.5	8.1	72.6	70.6	
WILKEN	W 1106			192	19.9	4.8	9.1	71.7	66.8	
NUTECH	3T-209 VT3	PL YL RR	109	192	17.2	4.3	8.7	73.1	67.2	
WHISNAND	203 VT3	PL YL RR	112	192	18.1	4.5	8.8	72.6	66.1	
WILKEN	W 990			188	17.4	4.3	8.4	73.3	66.8	
HORIZON	72B04R	PL YB RR	112	186	19.9	4.1	8.5	73.0	69.6	
ARISE	709 VT3	CL PL RR	113	175	23.0	4.6	8.9	72.2	69.0	
SELECT	5141 HQ	PL HX RR	108	173	21.2	4.0	8.3	73.5	70.0	
Average				222	19.7					
L.S.D 25% Level				12	1.2	4.5	8.7	72.4	67.9	
CV (%)				6	6.4	0.1	0.2	0.3	0.4	
						4.9	3.8	0.8	1.0	

¹Insecticide Seed Treatment: CL = Cruiser Extreme[®] 250, CH = Cruiser Extreme[®] 1250, PL = Poncho 250[®], PH = Poncho 1250[®]

²Genetic Traits: AB = Agrisure[™] Corn Borer, HX = Herculex[®] I Corn Borer, HR = Herculex[®] RW Root Worm, HE = Herculex[®] XTRA Corn Borer + Root Worm, YB = YieldGard[®] Corn Borer, YW = YieldGard[®] Root Worm, YL = YieldGard[®] Corn Borer + Root Worm

³Herbicide Traits: GT = Agrisure[™] Glyphosate, GL = Agrisure[™] Glyphosate + LibertyLink[®] CL = Clearfield[™], LL = LibertyLink[®], RR = Roundup Ready[®] Com 2, RL = LibertyLink[®] + Roundup Ready[®]