

2008 Hybrid Corn Test Results: West Central Region (32,000 ppa)

Company-Brand	Hybrid	IST <sup>1</sup> GT <sup>2</sup> HT <sup>3</sup>	Relative Maturity	Regional Results			Monmouth		Perry		New Berlin		2-yr Avg. bu/a	3-yr Avg. bu/a	Monmouth Grain Quality			
				Yield bu/a	Moisture %	% Erect Plants	Yield bu/a	Moisture %	Yield bu/a	Moisture %	Yield bu/a	Moisture %			Oil @0%	Protein @0%	Starch @0%	Extractable Starch @0%
DEKALB	DKC63-42 (VT3)	PL YL RR	113	263	19.9	100	238	24.0	258	14.6	290	19.4	270	5.1	9.2	71.4	67.0	
STONE	7T231	PL YL RR	111	258	18.3	97	244	21.2	255	13.6	274	18.7		5.3	9.2	69.9	68.4	
DEKALB	DKC64-24 (VT3)	PL YL RR	114	257	19.4	100	249	22.3	251	14.6	270	19.7		4.7	8.5	72.1	68.8	
BURRUS	477T	PL YL RR	109	257	19.0	100	248	22.3	256	13.9	266	19.2	269	5.0	10.1	70.3	66.6	
TRISLER	T-7N88VT3	PL YL RR	112	256	19.7	99	232	22.4	265	14.5	274	20.6		5.0	8.9	70.8	69.9	
CROW'S	4726Y	CL YL RR	109	255	18.7	93	232	22.5	254	14.2	278	18.0		5.1	9.4	70.6	67.1	
STONE	8T339	PL YL RR	113	254	20.0	97	236	23.6	251	14.5	274	19.9		4.9	9.5	70.7	68.0	
BECK	6733HXR	PL HX RR	114	253	24.2	100	251	30.6	229	17.0	272	22.7						
PFISTER	2575VT3	PL YL RR	109	253	19.0	100	242	22.1	252	13.5	266	19.6		5.1	8.8	70.7	69.4	
KRUGER	K-6213VT3	CL YL RR	113	253	20.3	100	236	23.3	260	15.4	265	20.5		4.6	8.4	72.4	68.6	
LEWIS	813VT3	PL YL RR	113	253	19.5	100	240	22.6	256	14.3	263	20.0		4.9	9.9	71.1	66.2	
DEKALB	DKC61-69 (VT3)	PL YL RR	111	253	18.5	100	231	21.8	248	13.6	276	18.5		4.8	9.1	71.3	67.5	
KRUGER	K-6413VT3	CL YL RR	113	252	20.1	98	232	24.9	264	14.6	265	18.8		4.9	9.4	70.9	67.6	
ARISE	509 VT3	CL PL RR	110	252	19.5	99	244	24.0	249	13.6	263	19.0		5.0	8.9	70.7	70.1	
FS SEED	FS 60AV3	PL YL RR	110	252	19.1	100	246	22.5	241	13.4	265	19.5		4.8	9.9	70.9	67.0	
PIONEER	33F88	PL HE RL	114	252	20.7	99	245	24.6	228	16.3	274	19.7		4.9	8.7	71.5	69.0	
MUNSON	26125VT3	PL YL RR	112	251	21.7	91	244	26.2	251	14.9	256	21.7		4.9	9.5	70.7	68.9	
KRUGER	K-6210TS	CL YL RR	110	251	18.2	90	233	21.5	253	14.2	268	17.7	246	4.8	8.3	75.2	67.0	
POWER PLUS	7D51	PL HE RL	115	251	24.6	100	241	31.8	249	16.1	263	23.1		5.1	9.7	70.6	67.3	
iCORN.com	112.VT3	PL YL RR	112	251	20.7	100	232	23.6	251	15.3	270	21.4	266	4.3	8.8	72.6	69.2	
TRISLER	T-8A02VT3	PL YL RR	113	251	22.7	100	243	27.5	242	16.0	266	22.3		5.0	9.0	71.3	68.1	
CROW'S	4799VT3	CL YL RR	109	249	18.3	100	237	19.5	235	13.5	270	20.2		4.4	9.6	72.1	67.3	
DEKALB	DKC61-19 (VT3)	PL YL RR	111	249	17.7	99	238	20.7	237	13.4	267	17.5		4.8	9.6	71.4	67.1	
NUTECH	3T-310A VT3	CL YL RR	110	248	18.4	99	245	21.5	222	13.8	267	18.3		5.1	8.4	70.9	69.4	
LEWIS	914VT3	PL YL RR	114	247	20.0	98	226	23.2	253	15.0	265	20.2		4.6	8.7	71.6	68.9	
BURRUS	4J63	PL YL RR	108	247	19.0	100	228	20.2	253	14.0	262	21.0		4.9	8.5	71.1	69.9	
LEWIS	X54ML			247	19.1	100	235	22.0	241	14.5	263	19.4		4.5	9.2	72.0	68.7	
DEKALB	RX674VT3	PL YL RR	109	247	19.3	100	238	22.6	251	14.3	253	19.4		4.7	9.1	71.5	68.8	
G2 GENETICS	1X-911A HXT/LL	PL HE LL	111	247	20.6	97	242	23.5	239	16.3	256	20.7		4.7	9.6	71.5	67.0	
iCORN.com	109.5VT3	PL YL RR	109	247	19.0	100	234	22.3	248	14.0	258	19.1		4.4	9.2	72.0	68.6	
KRUGER	K-6208VT3	CL YL RR	108	246	19.2	100	233	22.6	238	14.7	265	18.9	270	4.4	8.4	72.3	69.9	
NUTECH	3T-310 VT3	CL YL RR	110	246	19.1	99	238	23.1	242	13.5	258	18.9		4.5	9.5	71.8	67.6	
HOBLIT	5557 VT3	PL YL RR	111	246	22.0	98	225	26.6	252	16.0	264	21.3		5.1	9.0	70.6	67.6	
NUTECH	3T-110 VT3	PL YL RR	110	246	18.6	99	224	20.5	242	14.1	270	19.6		4.8	9.1	71.8	67.3	
G2 GENETICS	1H-716 HX/LL	PL HX LL	116	246	25.5	100	237	31.8	239	17.9	259	24.2		5.0	10.2	70.8	65.5	
HORIZON	75-55*	PL	115	246	25.0	98	230	31.3	234	17.1	269	24.0		4.7	9.3	71.4	68.0	
HORIZON	70PV22R	PL YL RR	110	246	18.6	87	230	20.1	238	14.2	266	20.0		5.1	8.5	72.0	67.5	
MUNSON	23165VT3	PL YL RR	109	245	19.1	100	241	23.0	234	13.8	257	18.7		4.3	8.2	72.3	69.9	
TRISLER	T-7A01VT3	PL YL RR	111	245	20.1	99	235	23.2	244	14.5	257	20.6	245	5.2	8.8	70.0	69.5	
MERSCHMAN	M-810H-10	PL YL RR	110	245	19.2	98	239	23.4	240	13.7	255	18.7	257	4.4	9.4	72.3	67.1	
WYFFELS	W5641	PL YL	109	245	19.1	96	238	23.0	241	13.5	255	19.0		4.8	9.4	71.2	67.8	
LEWIS	809VT3	PL YL RR	109	245	19.5	94	237	22.8	242	14.4	254	19.5		4.9	9.2	71.4	67.9	
MSG	78135VT3	CL YL RR	112	245	20.1	100	237	23.0	239	15.3	256	20.3		4.9	8.7	71.7	67.9	
WYFFELS	W9121	PL YL	117	245	24.1	100	233	26.8	255	17.4	250	25.8		4.8	9.0	71.4	68.3	
ARISE	629	CL	112	245	25.2	95	238	31.0	245	18.2	251	24.1		4.7	9.5	71.2	68.4	
KRUGER	K-7010YG+	CL YL RR	110	245	19.3	99	240	23.8	239	14.4	253	18.2		4.4	8.5	72.0	69.7	
FS SEED	FS 58SV3	PL YL RR	108	244	18.2	92	233	20.3	242	14.0	256	18.8		4.7	9.7	71.2	67.1	
BECK	5444VT3	PL YL RR	110	244	19.0	99	234	22.7	235	13.7	259	18.7		4.9	10.0	70.9	66.3	
MSG	76996VT3	CL YL RR	109	244	19.0	99	228	22.4	238	13.7	263	19.0		5.1	8.8	71.0	68.8	
HOBLIT	4777 VT3	PL YL RR	109	244	18.8	99	232	21.8	238	13.9	259	19.0	252	4.8	9.0	71.2	69.2	
MUNSON	27902RR	PL YW RR	113	243	19.5	97	222	22.9	230	14.3	273	19.6		4.6	9.1	71.9	67.6	
KRUGER	K-5116YGCB	CL YB	116	243	21.8	93	241	26.0	238	16.1	249	21.5	253	5.3	9.4	70.9	66.0	
KRUGER	K-6111TS	CL YL RR	111	243	19.8	96	239	21.3	217	14.5	265	22.0		4.9	9.3	70.8	68.4	
VIGORO	V5383VT3	PL YL RR	113	243	20.0	89	235	23.6	235	15.4	257	19.4		4.7	8.8	71.9	68.1	
TRISLER	T-6N52PL	PL YL	110	243	19.3	99	226	22.3	244	14.3	260	19.7		4.8	9.5	71.0	67.6	
STONE	77927	PL YL RR	110	243	18.3	100	231	21.3	247	13.7	252	18.4		5.2	9.3	70.6	67.5	
MSG	76804Y	CL YL RR	109	243	18.4	100	234	20.6	218	13.7	268	19.3		5.1	9.2	69.9	67.7	
DEKALB	DKC65-44 (VT3)	PL YL RR	115	243	21.1	100	222	24.2	239	15.9	266	21.6		4.7	9.0	72.2	67.8	
HORIZON	72PV33R	PL YL RR	112	242	19.0	99	243	23.0	239	13.6	244	18.6	263	4.9	10.4	70.4	65.9	
TRISLER	T-7N51VT3	PL YL RR	112	242	19.8	92	233	23.2	242	14.8	252	19.9		4.9	9.2	71.2	67.8	
TRISLER	T-6A02VT3	PL YL RR	109	242	18.7	99	230	22.2	246	13.2	252	18.7		4.3	9.1	72.6	68.4	
BURRUS	811T	PL YL RR	116	242	23.1	100	228	26.6	246	17.8	253	23.2		4.6	9.0	71.7	68.1	
KRUGER	K-6411VT3	CL YL RR	111	242	18.4	100	213	21.6	232	13.0	276	18.8		4.9	8.8	71.3	70.5	
NUTECH	3U-113 VTRR	PL YL RR	113	241	24.0	97	223	30.8	250	15.3	253	23.1		5.1	9.1	71.5	66.7	
PIONEER	33W84	PL HE RL	111	241	20.8	100	238	25.2	218	16.0	259	19.5		5.0	9.5	71.1	67.1	

2008 Hybrid Corn Test Results: West Central Region (32,000 ppa)

Company-Brand	Hybrid	IST <sup>1</sup> GT <sup>2</sup> HT <sup>3</sup>	Relative Maturity	Regional Results			Monmouth		Perry		New Berlin		2-yr Avg. bu/a	3-yr Avg. bu/a	Monmouth Grain Quality			
				Yield	Moisture	% Erect	Yield	Moisture	Yield	Moisture	Yield	Moisture			Oil	Protein	Starch	Extractable
				bu/a	%	Plants	bu/a	%	bu/a	%	bu/a	%			@0%	@0%	@0%	@0%
ARISE	729	CL	113	241	23.9	89	242	27.9	235	18.1	244	23.7			5.0	9.3	70.7	67.5
VIGORO	V5193VT3	PL YL RR	111	241	18.6	100	232	19.9	226	13.9	259	20.3			5.0	9.9	70.7	66.5
G2 GENETICS	1X-911 HXT/LL	PL HE LL	111	241	20.3	99	230	23.6	249	16.9	246	19.4			4.7	9.6	71.2	67.5
KRUGER	K-6412VT3	CL YL RR	112	241	20.0	100	237	22.1	246	14.1	242	21.8	245		4.4	8.9	72.2	68.6
PFISTER	2570VT3	PL YL RR	108	241	19.0	95	216	21.4	235	14.1	269	19.9			4.4	8.9	72.5	69.0
MERSCHMAN	M-911I-10	PL YL RR	111	241	18.9	91	229	20.8	231	14.0	258	20.4			5.0	9.4	71.5	66.6
MUNSON	23345VT3	PL YL RR	109	240	19.9	94	228	23.1	236	15.1	254	19.9			4.6	8.9	71.6	68.4
MUNSON*	29205VT3	PL YL RR	115	240	26.0	95	230	29.3	137	20.3	249	22.6			4.3	9.0	72.4	69.0
PIONEER	32T85	PL HE RL	115	240	24.1	99	225	28.0	236	17.2	257	24.6			4.8	8.7	71.4	68.2
BECK	Ex 0842VT3	PL YL RR	110	240	18.7	96	228	20.9	224	14.0	263	19.6			5.0	8.7	71.3	68.1
iCORN.com	111.6VT3	PL YL RR	111	240	20.4	100	228	22.6	246	14.8	248	21.8			5.0	9.6	71.0	67.1
VIGORO	V5183VT3	PL YL RR	112	240	18.5	99	218	21.8	233	13.7	266	18.5			4.9	8.8	71.5	68.5
NUTECH	3P-708 RR/YGPL	PL YL RR	108	239	20.6	95	222	24.4	240	15.8	254	20.1			5.0	10.0	70.7	66.1
BECK	5608VT3	PL YL RR	111	238	18.3	95	226	21.3	234	13.9	253	18.1			4.6	9.2	71.8	67.9
PREMIUM	P246 Bt	YB	113	238	19.8	96	223	23.4	231	14.6	258	19.6			4.9	9.9	70.9	66.6
iCORN.com	111.VT9	PL YL RR	111	238	20.2	99	225	23.7	231	14.5	256	20.5	252		5.0	9.3	70.8	68.5
CROW'S	4985VT3	CL YL RR	112	238	19.7	98	239	22.8	227	14.4	245	20.0			5.1	9.4	70.8	68.2
LEWIS	815VT3	PL YL RR	115	238	21.6	99	220	26.0	235	16.6	258	20.7			4.8	8.4	71.5	70.2
ARISE	519 VT3	CL PL RR	111	237	19.5	98	231	23.4	214	13.7	259	19.4			4.7	8.4	72.3	69.5
FS SEED	FS 62JV3	PL YL RR	112	237	22.1	99	228	27.0	235	16.2	248	21.2			4.8	9.4	71.4	67.3
BECK	5555VT3	PL YL RR	110	237	19.6	94	226	23.4	234	15.6	250	18.6			4.8	9.2	71.6	67.4
LEWIS	810VT3	PL YL RR	110	237	18.9	99	224	21.3	228	13.5	257	20.0			4.9	10.1	71.1	65.5
WYFFELS	W7381	PL YL	112	237	19.9	95	223	22.3	219	14.2	263	21.4			4.5	9.7	71.4	68.3
NUTECH	3T-912A VT3	PL YL RR	112	237	20.4	99	228	24.0	234	14.4	248	20.9			4.7	9.5	71.4	68.3
BURRUS	573T	PL YL RR	111	237	18.8	98	225	21.9	225	13.6	257	19.2			5.3	8.6	69.8	70.0
NUTECH	3T-808A VT3	CL YL RR	108	237	18.3	99	222	21.4	224	13.2	260	18.6			4.8	9.1	71.8	67.8
CROW'S	5304VT3	CL YL RR	114	236	22.2	99	225	26.0	231	16.8	251	22.2			5.2	8.9	70.2	68.9
NUTECH	3T-808 VT3	CL YL RR	108	236	18.3	98	222	21.0	230	13.5	255	18.9			4.9	9.4	71.1	67.2
MSG	80404VT3	CL YL RR	114	236	23.2	98	223	28.3	233	16.5	251	22.5			5.1	9.4	71.0	67.5
KRUGER	K-6015VT3	CL YL RR	115	236	22.1	99	221	26.9	239	16.1	248	21.3	258		5.1	8.4	70.5	69.5
PIONEER	34P94	PL HE LL	111	236	21.5	98	220	25.9	243	14.7	246	21.5			4.9	9.9	70.9	65.8
PFISTER	2775VT-RR	PL YL RR	112	235	19.7	98	214	23.5	224	14.6	264	19.3			5.2	9.2	69.7	68.2
PRAIRIE	7784		112	235	20.9	97	225	24.7	243	15.4	240	20.7			4.5	8.5	71.7	69.5
NUTECH	3T-912 VT3	PL YL RR	112	235	20.3	99	219	23.9	248	14.5	242	20.4			5.1	9.1	70.0	69.6
PIONEER	31P44	PL HE RL	119	235	26.2	96	217	33.0	247	18.2	244	24.9			4.9	9.0	71.3	67.8
iCORN.com	107.VT4	PL YL RR	107	235	17.3	98	223	18.7	221	13.4	255	18.4	249		4.1	9.2	72.7	68.3
NUTECH	3T-311 VT3	PL YL RR	111	234	19.4	99	221	20.6	229	14.6	251	21.3			4.8	9.3	70.9	67.7
NUTECH	3T-012 VT3	PL YL RR	112	234	19.1	91	221	23.2	208	13.8	266	18.5			4.4	8.4	72.3	69.7
MERSCHMAN	M-612D-10	PL YL RR	112	234	19.9	90	232	23.1	240	14.3	232	20.5	238		5.3	8.6	69.8	69.5
KRUGER	K-6114VT3	CL YL RR	114	234	19.9	99	220	22.6	212	16.2	262	19.6			4.9	10.0	70.8	66.0
WYFFELS	W7251	PL YL	112	234	22.8	99	219	27.7	228	16.1	252	22.4			4.4	8.8	72.2	69.3
HOBLIT	573 T	PL YL RR	111	233	18.8	95	226	22.9	204	13.8	261	18.0			5.5	9.3	70.6	65.8
HORIZON	69PV01R	PL YL RR	109	233	19.8	90	224	22.8	218	15.1	252	19.8	241		4.8	8.5	71.9	68.5
MERSCHMAN	M-314A-10	PL YL RR	114	233	25.2	85	228	30.5	219	17.2	247	25.3			4.7	9.2	71.5	68.3
KRUGER	K-6011TS	CL YL RR	111	233	17.8	100	221	19.8	216	14.2	256	18.2	242		4.8	9.3	70.9	68.1
LEWIS	X23EZ		112	233	20.5	93	232	25.1	219	15.2	243	19.5			4.7	9.3	71.3	68.5
MUNSON	24795VT3	PL YL RR	110	232	18.4	90	220	21.0	227	14.8	247	18.3			5.0	9.5	71.2	66.4
ARISE	507 VT3	CL PL RR	109	232	18.2	92	214	19.5	223	14.1	257	19.7			4.9	9.7	69.3	70.1
HORIZON	71PV01R	PL YL RR	111	232	19.9	95	223	22.6	236	15.6	238	20.2	250		4.4	8.6	71.9	69.6
FS SEED	FS 63JV3	PL YL RR	113	232	20.3	95	230	23.6	224	15.6	240	20.2			4.9	9.6	70.6	67.8
KRUGER	K-2115RR/YGCB	CL YB RR	115	232	20.8	100	232	23.1	210	16.4	248	21.3			4.1	8.4	73.2	69.3
WYFFELS	W5281	PL YL	108	232	16.4	100	217	18.5	202	13.1	267	16.4			4.8	10.0	71.2	65.7
ARISE	628 CBL	CL YB LL	113	232	25.2	95	216	30.8	233	18.1	247	24.4			4.7	9.0	71.7	68.6
HORIZON	74PV12R	PL YL RR	114	232	20.7	99	213	24.0	229	14.9	253	21.2			6.0	8.4	68.9	73.0
PFISTER	2727VT3	PL YL RR	110	231	20.3	93	217	23.7	239	14.4	241	20.9	238		4.7	8.3	72.2	68.4
LG SEEDS	LG2555VT3	PL YL RR	110	231	19.6	80	222	22.1	228	16.2	242	19.3			4.7	8.5	71.6	70.5
KRUGER	K-6212TS	CL YL RR	112	231	22.6	100	214	28.9	241	15.8	241	20.8	228		4.9	8.8	71.2	69.2
PFISTER	3366VT3	PL YL RR	115	231	25.7	99	212	31.0	249	17.7	238	25.8			4.6	9.2	71.8	67.5
HORIZON	73-15R	PL RR	113	231	23.7	96	230	30.9	238	15.1	227	22.3			4.7	8.4	71.9	69.5
STONE	7T765	PL YL RR	110	230	20.7	98	218	23.6	233	15.5	240	21.4			4.8	8.7	71.7	68.3
BURRUS	6C56	PL YL RR	112	230	20.6	97	218	23.9	210	14.9	254	21.2			5.2	9.3	70.0	68.8
KRUGER	K-6008VT3	CL YL RR	108	230	18.9	100	208	22.2	236	14.3	247	18.6			4.9	10.1	69.7	67.0
STONE	8K597	PL YL RR	114	229	18.9	98	197	21.1	246	14.9	251	19.4			5.1	9.0	70.2	69.6
LG SEEDS	LG2642VT3	PL YL RR	115	229	24.5	92	211	29.2	242	18.5	239	23.9			4.9	9.2	71.3	67.6
NUTECH	3P-708A RR/YGPL	PL YL RR	108	229	20.7	95	217	24.2	231	15.8	239	20.6			4.8	8.8	71.6	68.7

2008 Hybrid Corn Test Results: West Central Region (32,000 ppa)

Company-Brand	Hybrid	IST <sup>1</sup> GT <sup>2</sup> HT <sup>3</sup>	Relative Maturity	Regional Results			Monmouth		Perry		New Berlin		2-yr Avg. bu/a	3-yr Avg. bu/a	Monmouth Grain Quality				
				Yield	Moisture	% Erect	Yield	Moisture	Yield	Moisture	Yield	Moisture			Oil	Protein	Starch	Extractable	
				bu/a	%	Plants	bu/a	%	bu/a	%	bu/a	%			@0%	@0%	@0%	@0%	
PFISTER	2735VT3	PL YL RR	112	229	20.2	90	223	22.7	216	16.4	243	20.4			5.1	9.1	70.2	68.3	
TRISLER	T-6N51PLRR	PL YL RR	110	229	19.1	89	213	22.4	232	13.8	242	19.3	263		5.1	8.8	70.6	68.3	
ARISE	730 VT3	CL YL RR	115	228	25.3	99	200	31.0	249	18.0	241	24.6			4.8	9.6	70.9	68.3	
NUTECH	3T-209 VT3	PL YL RR	109	227	18.2	100	223	21.3	219	14.4	237	17.6			4.8	10.0	71.0	66.4	
HORIZON	76P01R	PL YL RR	116	227	24.9	83	221	30.2	210	16.6	245	25.1			4.7	9.8	71.1	67.1	
HORIZON	73PV36R	PL YL RR	113	227	20.8	98	208	24.3	233	15.1	243	21.0			4.4	8.8	71.9	69.4	
PFISTER	3356VT3	PL YL RR	115	227	24.7	80	233	30.2	214	17.2	231	24.3			4.6	8.3	72.3	69.0	
NUTECH	3T-315 VT3	PL YL RR	115	227	25.7	98	196	33.0	250	17.5	242	23.9			4.9	8.6	71.2	70.4	
TRISLER	T-7A14CB	PL YB	111	226	20.8	89	221	25.7	229	15.3	229	19.6			4.7	8.4	72.2	68.7	
MERSCHMAN	M-808E-10	PL YL RR	108	226	18.0	100	218	20.6	204	13.6	248	18.4			4.7	8.6	72.1	68.8	
MUNSON	28245VT3	PL YL RR	114	225	20.5	94	209	23.9	215	15.3	248	20.4			4.8	9.2	70.9	67.8	
PIONEER	33H29	PL HE RL	115	225	23.8	100	211	30.2	228	16.1	238	22.5			4.8	9.4	71.2	67.7	
MUNSON	22035VT3	PL YL RR	108	224	17.7	94	209	20.6	207	13.5	250	17.5			5.4	9.2	70.5	66.1	
MUNSON	25775VT3	PL YL RR	111	224	18.0	90	212	19.9	221	14.1	237	18.7	250		4.9	8.4	71.6	69.3	
ARISE	709 VT3	CL PL RR	113	224	23.2	95	207	28.3	228	17.4	238	21.8			4.5	9.8	71.7	66.4	
BECK	5779VT3	PL YL RR	111	224	21.3	92	217	25.0	230	15.9	227	21.1			4.4	8.3	72.4	69.6	
MERSCHMAN	M-711E-10	PL YL RR	111	224	18.6	79	204	20.1	217	14.4	248	19.8			5.0	9.2	71.5	67.0	
HORIZON	72X05L	PL HE LL	112	224	19.2	92	205	22.8	212	14.2	251	18.8			4.4	8.5	72.0	69.3	
WYFFELS	W8681	PL YL	116	223	26.6	98	200	32.9	232	18.8	241	25.4			4.7	8.9	71.2	68.9	
HORIZON	73X01L	PL HE LL	113	223	20.0	99	211	21.7	206	15.8	247	21.2	247		4.8	9.4	70.9	67.9	
MERSCHMAN	M-512C-10	PL YL RR	112	223	20.8	83	228	23.9	178	15.9	249	21.0			4.8	9.3	71.1	67.9	
PRAIRIE	5413		106	223	17.6	95	218	20.7	213	13.7	234	17.0			4.9	9.2	71.0	67.7	
iCORN.com	110.RWBR7	PL YW RR	110	223	18.4	78	231	21.5	193	13.9	234	18.4	254		4.6	9.0	71.8	68.5	
NUTECH	3T-514 VT3	PL YL RR	114	222	20.9	99	212	25.0	202	15.0	246	20.8			4.9	9.1	71.6	66.8	
MUNSON	20450RR	PL RR	105	221	18.3	97	215	21.0	210	13.9	234	18.4			5.2	8.6	70.1	69.8	
BO-JAC	9472	PL HE LL	112	221	20.1	100	210	23.9	225	15.0	230	19.9			4.7	9.2	71.3	68.3	
HOBLIT	5827 VT3	PL YL RR	114	221	25.8	94	211	31.7	240	18.7	219	24.5			4.5	8.9	72.3	68.1	
NUTECH	3T-710 VT3	PL YL RR	110	220	18.8	85	221	22.4	182	14.3	243	18.1			4.6	9.1	71.7	69.3	
NUTECH	3T-109 VT3	PL YL RR	109	220	18.9	68	218	20.9	193	15.2	239	19.3			4.5	9.6	72.1	67.9	
MUNSON	26886LLRR	PL HE RL	112	219	19.8	77	208	22.6	232	15.2	223	19.9			4.5	9.0	72.4	67.6	
TRISLER	T-8N52PLRR	PL YL RR	113	219	18.5	96	196	20.9	228	14.9	237	18.5			5.2	8.7	70.3	69.1	
FS SEED	FS 61AV3	PL YL RR	111	219	18.2	72	218	19.5	186	14.8	243	19.1			4.4	9.5	72.3	68.4	
NUTECH	3T-115 VT3	PL YL RR	115	219	23.6	93	189	28.4	216	16.0	251	23.7			4.5	8.5	72.2	69.8	
KRUGER	K-6517TS	CL YL RR	117	219	22.9	88	222	25.7	162	17.0	252	23.9			4.6	8.4	72.3	68.8	
PRAIRIE	EX 7759		113	218	24.1	89	196	30.3	237	17.0	226	22.7			5.0	9.1	70.4	69.1	
BO-JAC	9379	PL HE LL	108	216	19.7	88	204	23.9	225	16.2	223	18.0			5.1	9.0	70.9	68.0	
VIGORO	V5373VT3	PL YL RR	113	215	20.6	84	204	23.0	200	14.6	235	22.1			4.1	9.2	73.1	69.1	
PRAIRIE	5316		108	213	18.3	91	212	21.9	209	14.0	215	17.7			4.8	9.2	71.5	67.6	
HORIZON	69PV02R	PL YL RR	109	212	18.2	72	197	19.8	193	15.2	240	18.5	241		5.1	9.3	70.6	68.6	
PFISTER	2688VT3	PL YL RR	113	211	20.4	81	205	22.2	226	15.0	208	22.2			4.8	8.9	71.6	69.5	
PRAIRIE	6158		111	209	19.7	92	191	22.2	221	14.5	218	20.7			5.4	9.5	70.8	65.5	
ARISE	616 VT3	CL PL RR	112	209	23.0	87	190	25.7	189	16.3	240	24.9			4.9	9.1	71.4	67.1	
HORIZON	76B18R	PL YB RR	116	207	22.2	70	209	24.6	201	15.2	208	24.5			4.9	9.5	71.3	67.4	
ARISE	619 RRHXT	CL HE RL	112	205	21.8	80	197	24.5	190	15.5	222	23.5							
MASTER CHOICE	SP-575	PL YL RR	114	204	21.8	94	213	24.4	155	16.3	227	22.9			4.9	8.9	71.1	68.1	
PFISTER	2663VT3	PL YL RR	109	203	18.9	75	214	19.7	147	18.1	228	18.6			4.8	9.0	71.3	69.6	
															4.8	9.3	71.5	67.3	
															4.8	8.8	71.1	69.5	
Non-GMO Hybrids																			
	Average			235	19.8	95	224	23.9	230	15.1	251	20.5			4.8	9.1	71.3	68.2	
	L.S.D 25% Level			13	1.5	8	6	0.7	8	0.5	7	0.6			0.1	0.1	0.3	0.4	
	CV (%)			8	11.4	16	5	5.2	5	4.9	5	5.2			3.9	2.8	0.9	1.1	

1Insecticide Seed Treatment: CL = Cruiser Extreme® 250, CH = Cruiser Extreme® 1250, PL = Poncho 250®, PH = Poncho 1250®

2Genetic Traits: AB = Agrisure™ Corn Borer, HX = Herculex® I Corn Borer, HR = Herculex® RW Root Worm, HE = Herculex® XTRA Corn Borer + Root Worm, YB = YieldGard® Corn Borer, YW = YieldGard® Root Worm, YL = YieldGard® Corn Borer + Root Worm

3Herbicide Traits: GT = Agrisure™ Glyphosate, GL = Agrisure™ Glyphosate + LibertyLink®, CL = Clearfield™, LL = LibertyLink®, RR = Roundup Ready® Corn 2, RL = LibertyLink® + Roundup Ready®

\* Perry location dropped from Regional Average due to harvestability issue